UK Mains Power Products

Mains Power Cable

- Moulded 3 pin 13 amp plug (fused at 5 amps) to IEC socket

1770170 2m

IEC Extension Lead

- IEC socket 'C13' to IEC plug 'C14'

1770179 2m

'Y' Mains Cable

- Moulded 3 pin 13 amp plug (fused at 13 amps) to 2 x IEC socket

1770177 2.5m

IEC Twin Block Adapter

- 1 IEC plug to 2 x IEC socket

1770180 2m

'C5'Mains Cable

- Moulded 3 pin 13 amp plug (fused at 5 amps) to 3 pin C5 socket

1770178 2m

UK to Euro Adapter

1730200

Figure 8 Mains 2 Pin Cable Assembly

1770064 3m
1770065 5m

Euro Power Cable

1730203 2m

Mains Power Block

4 Gang outlet mains lead

- 3 pin 13 amp plug (fused at 13 amps) to 4 x 3 pin UK 13 amp sockets

1770171 2m
1770172 5m
1770173 10m

Mains Power Block

4 Gang outlet mains lead with surge protection & LED indication

- 3 pin 13 amp plug (fused at 13 amps) to 4 x 3 pin UK 13 amp sockets

1770174 2m

Mains Power Block

6 Gang distribution mains lead

- 3 pin UK 13 amp plug (fused at 13 amps) to 6 x 3 pin UK 13 amp sockets

1770175 2m
1730189 5m

Mains Power Block

6 Gang distribution mains lead with surge protection & LED indication

- 3 pin UK 13 amp plug (fused at 13 amps) to 6 x 3 pin UK 13 amp sockets



1770176 2m

8 Way Mains Gang - 2m

1730185 8 Way Mains Gang - 2m

USB

1.5m USB (A Male Plug to A Female Socket)

1770045 1.5m

USB

3m USB (A Male to USB A Male)

1770047 3m

USB 2.0 (Universal Serial bus) cable

The standard A to B cable connects a computer to a peripheral, such as printer or scanner.

- USB V2.0 (Type A) to USB plug (Type B)

1770046 2m
1770162 3m
1770048 5m

USB 2.0 Active Extension Cable

Extends the distance of your USB device, from your desktop PC or laptop by up to 5M

- USB plug (Type A) to USB socket (Type A)

1770163 5m

Audio Video Cables

2m Scart to 3 phono cable



1770052 2m

15m 1 Phono Plug to 1 Phono Plug



1770073 15m

3.5mm Jack Stereo Plug

1770076

1.5m S-Video Plug to Plug Fly Lead



1770054 1.5m

2 x Phono Sockets to 3.5mm Jack Plug Adaptor



1770059

3.5mm Stereo jack to twin phono/RCA

Quality audio cable can be used with iPod or any computer personal device ie. CD/MP3 players.

- 1 x 3.5mm stereo plug to 2 x RCA plugs

1770055 2m
1770056 3m
1770083 5m

3m 2 Phono to 2 Phono Cable



1770057 3m

Headphone/Audio Splitter

Connects 3.5mm Stereo Plug to 2 x 3.5mm Mini Jack Sockets

1770164

3.5mm Stereo jack to 3.5mm Stereo jack

Connects the PC sound card, portable CD player or any mini-stereo audio device with 3.5mm jacks to multimedia speakers.

- 1 x 3.5mm stereo plug to 1 x 3.5mm stereo plug

1770053 1.5m
1770084 2m
1770085 3m
1770086 5m
1770087 10m
1770088 20m

3 Phono to 3 Phono Plug



1770058 15m
1770039 2m

Phono Socket to Phono Socket

1770062

SCART to SCART

For connecting equipment such as Plasma or LCD TVs, VCRs, DVDs, etc.

- 21 pin plug to 21 pin plug + Coaxial
- Shielded, Full 21 wire

1770089

Monitor Cables

Monitor Splitter Cable

Provides a fast and easy way to simultaneously connect 2 monitors to 1 computer.

- 1 x HD15M to 2 x HD15F

1770092 150mm

Y Cable

1730144 Cable length 25cm 1M to 2F

VGA Monitor Extension Cable

This cable allows you to extend the distance between your computer and your VGA monitor.

- HD15M to HD15F
- Moulded
- Double Shielded
- Coaxial
- Fully Wired

1770290 2M

2m VGA Cable



1730145 2M VGA Cable (Male to Male)

MONITOR, DVI AND HDMI CABLES

VGA Extension Cable

1730177 2M Super VGA Cable (Male to Female)

VGA Monitor Adapter Cable

Use to connect your PC to a SVGA monitor.

- HD15M to HD15M
- Moulded
- Double Shielded
- Coaxial
- Fully Wired

1770291 2M

VGA Monitor Extension Cable

This cable allows you to extend the distance between your computer and your VGA monitor.

- HD15M to HD15F
- Moulded
- Double shielded
- Coaxial
- Fully wired

1770093 3M
1770094 5M

VGA Monitor Adapter Cable

Use to connect your PC to a SVGA monitor.

- HD15M to HD15M
- Moulded
- Double Shielded
- Coaxial
- Fully wired

1770100 3M
1770101 5M
1770102 10M

VGA Monitor Extension Cable

This cable allows you to extend the distance between your computer and your VGA monitor.

- HD15M to HD15F
- Moulded
- Double shielded
- Coaxial
- Fully wired
- Ferrite core

1770030 10M
1770031 15M
1770095 20M
1770096 25M
1770097 30M
1770098 50M

VGA Monitor Adapter Cable

Use to connect your PC to a SVGA monitor.

- HD15M to HD15M
- Moulded
- Double Shielded
- Coaxial
- Fully wired
- Ferrite core

1770042 15M
1770043 20M
1770103 25M
1770104 30M
1770181 50M

DVI/VGA Adapters

DVI-I Adapter

For a high-performance connection between PCs and flat panel displays, digital CRT displays, projectors, and HDTV. DVI Adapters from cables.

- DVI-I (24 + 5m) to HD15F

1770105

DVI Cables

DVI-D (Digital Only) Dual Link

The DVI-D dual link cable can be used to connect your flat panel digital monitor, digital CRT display, projector, HDTV, etc with the port on your source device. The dual link cable doubles the power of the transmission, increasing the speed and quality of the signal.

- DVI-D to DVI-D (24+1)

1770106 2M
1770107 3M
1770108 5M

HDMI Cables

HDMI Cable

HDMI (High Definition Multimedia Interface) is a specification that combines video and audio into a single interface for use with digital versatile disc (DVD) players, digital television (DTV) players, set-top boxes, and other audio/visual devices.

- HDMI male to HDMI male

1770109 1M
1770110 2M
1770111 3M
1770112 5M
1770113 10M

RJ45 to RJ45 UTP CAT 5e Stranded Snagless Network Cables



Length	Grey	Blue	Red	Yellow	Green	Orange	Black	Purple	White
1M	1770114	1770115	1770116	1770117	1770118	1770120	1770119	1770121	1770122
2M	1770123	1770124	1770125	1770126	1770127	1770128	1770129	1770130	1770131
3M	1770132	1770133	1770134	1770135	1770136	1770137	1770138	1770139	1770140
5M	1770141	1770142	1770143	1770144	1770145	1770146	1770147	1770148	1770149
10M	1770150	1770151	1770152	1770153	1770154	1770155	1770156	1770157	
20M	1770158								
25M	1770159								
35M	1770160								
50M	1770161								

Flush moulded strain relief

RJ45 to RJ45 UTP CAT 6 Stranded Snagless Network Cables



Length	Grey	Blue	Red	Yellow	Green	Orange	Black	Purple	White
1M	1770214	1770215	1770216	1770217	1770218	1770219	1770220	1770221	1770222
2M	1770223	1770224	1770225	1770226	1770227	1770228	1770229	1770230	1770231
3M	1770232	1770233	1770234	1770235	1770236	1770237	1770238	1770239	1770240
5M	1770241	1770242	1770243	1770244	1770245	1770246	1770247	1770248	1770249
10M	1770250	1770251	1770252	1770253	1770254	1770255	1770256	1770257	
20M	1770258								
30M	1770259								
50M	1770261								

Wall Mounted Active Whiteboard Speakers

- Active and passive speaker set
- 32 watt amplifier output 16 watt per speaker
- Inputs for PC and DVD or VCR
- Red power LCD indicator lamp on front panel
- Power on/off switch at base
- Audio input selection switch on front panel
- Volume control on front panel
- Built-in USB2 Hub which after connection with master USB cable to PC, gives 3 USB ports. These can connect to whiteboard, memory sticks etc.
- Easy to install
- Supplied with wall fixing brackets, screws and cables
- Main Body: MD wood in grey finish
- Speaker grille: powder coated steel mesh in black
- Amplifier faceplate: brushed stainless steel fitted with 4 x dome head countersunk chrome steel screws
- Supplied with UK & European power cords
- Dimensions: 610x135x98mm (hxwxd)

1050002 Wall Mounted Active Whiteboard Speakers - WSL

Wall Mounted Active Whiteboard Speakers

Specification as per 1050002

NEW

New design of speaker when stocks of product 1050002 are exhausted.

1050006 Wall Mounted Active Whiteboard Speakers

Wall Mounted Active Speakers

NEW

Specification as per 1050001

New design of speaker when stocks of product 1050001 are exhausted.

1050005 Wall Mounted Active Speakers

Wall Mounted Active Speakers

- Classroom audio system
- 30 watt amplifier output 15 watt per speaker
- 2 audio inputs one each for PC and DVD
- Complete with cables for remote satellite speaker and 2 audio inputs
- Wired remote volume control (for wall mounting) supplied
- Supplied with wall brackets and screws
- Main body: wood in a white finish
- Speaker grille: black powder coated steel mesh
- Rear Panel: black PVC
- Supplied with UK & European power cords
- Dimensions: 250x142x130mm (hxwxd)

1050001 Wall Mounted Active Speakers - WSL

Bundle Deal - Amplifier + Wall Mounted Speakers (Black or White)

1680019 + 1050003/1050004 **Amplifier and Speaker Bundle**

Amplifier

- Audio Amplifier 2 x 25w
- 4 x Stereo inputs via phono connectors
- Comes with UK & Euro cables
- 2 x microphone inputs
- Suitable for wall mounted speakers (product codes 1050003 & 1050004) and ceiling mounted speakers (product code 1050008)

1680019 **Amplifier 2x25w**

Wall Mounted Speakers

- 2 x Wall mounted indoor/outdoor speakers
- Includes universal mounting brackets
- Available in black or white
- 30w RMS each, 100 watt max
- Requires amplifier (code 1680019)
- Completely weather proof and rust proof
  - Gold-plated binding posts
  - Solid brass and rustproof hardware
  - Aluminum grille
  - Resonance-free, corrosion proof cabinet

1050003 **Indoor/Outdoor Speakers – White**
1050004 **Indoor/Outdoor Speakers – Black**

EA1128C Stereo Power Amplifier

- Suitable for school halls and larger meeting rooms
- Powerful 160 watts (2x80 watts)
- 4 stereo inputs on the rear panel with two microphone inputs on the front panel for voice reinforcement
- Includes mini jack – 2-phono and 2-phono to 2-phono patch cables
- Has an integrated lock anchor point to enable you to attach a security tether to add an extra level of visual and physical security.
- VHF wireless receiver can be fitted inside the case for hand held and/or lapel microphones (no need for additional equipment, just plug and go)
- Infrared microphone voice reinforcement system can be connected
- Suitable for speakers E525 (product code 1050014), E715 (product code 1050009), E810 (product code 1050011)

AVAILABLE AUGUST 2009

1680025 EA1128C Stereo Power Amplifier

Ceiling Mounted Speaker

- Flush mounted in-ceiling, open frame with spring-loaded mounting clamps
- Quick and easy installation
- Red and black push-terminal connectors, metal baffle and grille
- 8 ohm 30 watts
- Cost effective ceiling speaker ideal for background music and paging applications such as: schools, hotels, auditoriums, office, hospitals, theatres etc.
- Superior sound quality and excellent performance
- Suitable for amplifier (product code 1680019), single gang in-wall amplifier (product code 1680022); dual gang in-wall amplifier (product code 1680023); and amplifier module for Sahara connect cable kit (product code 1680024)
- Supplied as a pair

AVAILABLE AUGUST 2009

Back View

Front View

1050008 Ceiling Mounted Speaker

E525 100 watts speaker

- Suitable for school halls and larger meeting rooms
- Can be wall mounted or standalone
- Wall mounting bracket included
- Suitable for amplifier (product code 1680025)
- Dimensions: 335x599x511mm(hxwxd)
- Supplied as a pair

AVAILABLE AUGUST 2009

1050014 E525 100 watts speaker

E715 180 watts speaker

- Suitable for school halls and larger meeting rooms
- Can be wall mounted or standalone
- Wall mounting bracket included
- Suitable for amplifier (product code 1680025)
- Dimensions: 546x640x347mm(hxwxd)
- Supplied as a pair

AVAILABLE AUGUST 2009

1050009 E715 180 watts speaker

E810 300 watts speaker

- Suitable for school halls and larger meeting rooms
- Can be wall mounted or standalone
- Wall mounting bracket included
- Suitable for amplifier (product code 1680025)
- Dimensions: 393x779x596mm(hxwxd)
- Supplied as a pair

AVAILABLE AUGUST 2009

1050011 E810 300 watts speaker